


Stone Flagstone #1603

	TECHN	ICAL DATA	
	Stone #1603 HIPS		
	High Impact Polystyrene Plastic		
	D	D-11	
	Properties	Rating	ASTM
	IZOD Impact, ftlbs./in.		
	@70%F	2.0	D256
	@0 7 F	1.3	D256
	Tensile Strength	3,700 psi	D638
	Heat Deflection	188	D695
	Vicat Softening	212	D1525
	Wt.lb./sq.ft.		
	.070 mil	.449	
	.090 mil	.577	
	.110 mil	.705	
	.130 mil	.833	
	.150 mil	.966	
	Stone #1603 ABS		
	Acrylonitrile-butadiene styrene		
	Act ylorlithie-	bulaulerie styrerie	
	IZOD Impact, ftlbs./in.		
	@73?	5.6	D256
	@0?	1.9	D256
	Tensile Strength, 73%, psi	1.0	D230
	Yield	5.300	D638
	Modulus	330,000	D638
	Flexural Strength 73%, psi	000,000	2000
	Yield	9.300	D790
	Modulus	325.000	D790
	Heat Deflection	323,000	D730
	@264 psi	199	D648
	@66 psi	211	D648
	Hardness (Rockwell R) 73%	105	D785
	Falling Dart Impact, ftlb.	105	D763
	@73?F	23	
	@407F	14	
	Specific Gravity	1.05	D792
	Wt. lb./sq.ft.	1.05	D/92
	.070 mil	454	
		.451	
	.090 mil	.580	
	.110 mil	.705	
	.130 mil	.833	
	.150 mil	.961	
- 1			



Attachment to Formwork

Thermoform Formliners can be used in precast, tilt-up or cast -in-place applications. Single-use HIP is most frequently used for tilt-up applications and can be installed using Tek drywall screws or pneumatic staplers, spacing should be approximately 6" to 12" on center around the perimeter and 18" to 24" through the center. Double Sided Tape, "Formica Top" adhesive, Heavy Duct Tape or Silicone Caulk are all the common ways to attach formliners. Make sure all surfaces are clean, dry and free of dust and debris. Formliner PE & PPE liners are attached from the back with 3/8" bolts when optional T-nuts are installed.

Form Placement

It is important that forms for architectural concrete be aligned and in common planes. A "Stack up" of manufacturing tolerances can result in forms being in different planes, even when properly aligned. This creates a noticeable "step" in the finished surface, particularly with shallow Formliner patterns.

Rustication

Reveals or rustications are recommended at butted joints so it will allow the features of the liner to appear continuous. All butted joints should be taped and/or caulked to reduce grout leakage.

Form Release

Formliners should be sprayed with high end form release agent before each use and within the same day that concrete is placed. Apply with low flow, wide angle, flat spray nozzle and wipe with a cloth to insure a complete even coat to the entire formliner surface.